

DynaCode: A General DDDAS Framework with Coast and Environment Modeling Applications

QuickTime™ and a TIFF (Uncompressed) decompressor are needed to see this picture.

Gabrielle Allen, LSU

Greg Stone (LSU), Johannes Westerink (Notre Dame), Burak Aksoylu (LSU), Ivor van Heerden (LSU), Ed Seidel (LSU), Robert Twilley (LSU)





Louisiana Coastal Area



- **In US:** 25% coastal wetlands, 40% salt marshes, 30% fish catch, 17% oil, 25% natural gas, ports handle most tonnage worldwide.
- Lost: 25% (4500sqkm) wetlands in last century, future predictions dire.
- Loss of wetlands increases risk of flooding and storm surge.
- Hurricanes threaten lives & economy
- Rich dynamic environment for modeling: coupled models, multi-scale, dynamic data (sensors, satellites), physics
- **Important problems:** ecological forecasting, hurricane forecasts, restoration strategies, evacuation and emergency response strategies, predict algal blooms/salinity, etc.





SURA Coastal Ocean Observing Program (SCOOP)

- Integrating data from regional observing systems for realtime coastal forecasts in SE
- Coastal modelers working closely with computer scientists to couple models, provide data solutions, deploy ensembles of models on the Grid, assemble realtime results with GIS technologies.




QuickTime™ and a TIFF (Uncompressed) decompressor are needed to see this picture.

QuickTime™ and a TIFF (Uncompressed) decompressor are needed to see this picture.




University of Alabama at Huntsville, University of Florida, GoMOOS, Louisiana State University, University of Miami, University of Maryland, University of North Carolina, Texas A&M, Virginia Inst of Marine Sciences





CCT DynaCode



- Focus on scenarios:
 - Hurricane ensemble modeling
 - Coupling ocean circulation, storm surge, wave generation models for the Gulf
 - Notifications from NHC trigger customized ensemble of hurricane models (surge/wind/wave), sensors provide verification and guide dynamic ensembles
 - Event driven, dynamic component framework with algorithm selection, optimization tools, workflow, data assimilation, result validation with sensor/satellite.
 - Ecological restoration and control
 - Breton Sound diversion, control structure to allow Mississippi to flow into wetlands
 - Coupled models (hydrodynamic, salinity, geomorphic, sediment) control diversion, sensors/wind fields inject real time data.
- Enhance existing technologies
 - Cactus Framework
 - Triana Workflow, Grid Application Toolkit





CCT Components

Infrastructure & algorithms to couple models, to each other and to external inputs from sensors, wind & databases to optimize execution of complex workflows on grids, invoking appropriate models, meshes, and algorithms, depending on current conditions.

- **Applications:** control algorithms and coupling interfaces for coastal/eco-codes
- **Maths:** Model errors for scenarios and implement basic stats toolkit in Cactus to drive ensembles
- **Systems:** Enhance dynamical capabilities of Cactus/Triana, decision making infrastructure, dynamic recomposition. Add legacy ensemble modeling to Cactus. Think about tracking data flow/data sensitivity through Cactus.
- **Measurements:** Integrate data to scenarios from existing sensors, plan out interfaces for sensor control.